



CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BATCH RESULT: PASS

SAMPLE: YA HEMI

CLIENT:

COMPLETED: MAY 03, 2023

METRC SAMPLE: N/A / METRC BATCH: N/A



| |
|--|
| <p>BATCH NO.:</p> <p>MATRIX: FLOWER</p> <p>CATEGORY: INHALABLE</p> <p>SAMPLE ID:</p> <p>COLLECTED ON: MAY 02, 2023</p> <p>RECEIVED ON: MAY 02, 2023</p> <p>SAMPLE SIZE: 28 G</p> |
|--|

| |
|------------|
| CULTIVATOR |
|------------|

CANNABINOID OVERVIEW

| | |
|----------------------------|----------|
| TOTAL THC: | 34.406 % |
| TOTAL CBD: | 0.104 % |
| TOTAL CANNABINOIDS: | 35.742 % |

BATCH RESULT: PASS



CANNABINOIDS BY HPLC: CCTL-PM-002 // MAY 03, 2023

| ANALYTE | LIMIT | AMT (%) | AMT (mg/g) | LOD/LOQ (mg/g) | PASS/FAIL | ANALYTE | LIMIT | AMT (%) | AMT (mg/g) | LOD/LOQ (mg/g) | PASS/FAIL |
|---------|-------|---------|------------|----------------|-----------|---------------------|--------|---------|------------|----------------|-----------|
| CBC | | ND | ND | 0.1947/0.3895 | N/A | Δ ⁸ -THC | | ND | ND | 0.1947/0.3895 | N/A |
| CBD | 0.053 | 0.53 | 0.53 | 0.1947/0.3895 | N/A | Δ ⁹ -THC | | ND | ND | 0.1947/0.3895 | N/A |
| CBDA | 0.058 | 0.58 | 0.58 | 0.1947/0.3895 | N/A | THCA | 39.232 | 392.32 | 392.32 | 0.1947/0.3895 | N/A |
| CBDV | ND | ND | ND | 0.1947/0.3895 | N/A | THCV | | ND | ND | 0.1947/0.3895 | N/A |
| CBG | 0.174 | 1.74 | 1.74 | 0.1947/0.3895 | N/A | TOTAL THC** | | 34.406 | 344.06 | | N/A |
| CBGA | 1.206 | 12.06 | 12.06 | 0.1947/0.3895 | N/A | TOTAL CBD** | | 0.104 | 1.04 | | N/A |
| CBN | ND | ND | ND | 0.1947/0.3895 | N/A | | | | | | |

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN

James W. Cox

James W. Cox
Laboratory Director
May 03, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.